



YSR

Thread	D	h	g	t	d	n - m	MAX. Nm
YSR M6 x 0.5	16	8	3	2	11	2 - M4	3.5
YSR M8 x 0.75	16	8	3	2	11	2 - M4	3.5
YSR M10 x 0.75	18	8	3	2	13	2 - M4	3.5
YSR M10 x 1	18	8	3	2	13	2 - M4	3.5
YSR M12 x 1	20	8	3	2	16	2 - M4	3.5
YSR M12 x 1.25	20	8	3	2	16	2 - M4	3.5
YSR M14 x 1.5	25	8	3	2	21	2 - M4	3.5
YSR M15 x 1	25	8	3	2	21	2 - M4	3.5
YSR M16 x 1.5	28	10	4	2	23	2 - M5	4.5
YSR M17 x 1	28	10	4	2	23	2 - M5	4.5
YSR M18 x 1.5	30	10	4	2	25	2 - M5	4.5
YSR M20 x 1	32	10	4	2	27	3 - M5	4.5
YSR M20 x 1.5	32	10	4	2	27	3 - M5	4.5
YSR M22 x 1.5	35	10	4	2	30	3 - M5	4.5
YSR M24 x 1.5	38	12	5	2	33	3 - M6	8.0
YSR M25 x 1.5	38	12	5	2	33	3 - M6	8.0
YSR M27 x 1.5	42	12	5	2	37	3 - M6	8.0
YSR M30 x 1.5	45	12	5	2	40	3 - M6	8.0
YSR M33 x 1.5	52	12	5	2	45	3 - M6	8.0
YSR M35 x 1.5	52	12	5	2	47	3 - M6	8.0
YSR M36 x 1.5	55	14	6	2.5	49	3 - M6	8.0
YSR M39 x 1.5	58	14	6	2.5	52	3 - M6	8.0
YSR M40 x 1.5	58	14	6	2.5	52	3 - M6	8.0
YSR M42 x 1.5	62	14	6	2.5	56	3 - M6	8.0
YSR M45 x 1.5	65	14	6	2.5	59	3 - M6	8.0
YSR M48 x 1.5	68	14	6	2.5	62	3 - M6	8.0
YSR M50 x 1.5	70	14	6	2.5	64	3 - M8	18.0
YSR M52 x 1.5	73	16	7	3	66	3 - M8	18.0
YSR M55 x 1.5	75	16	7	3	68	3 - M8	18.0
YSR M55 x 2	75	16	7	3	68	3 - M8	18.0
YSR M56 x 2	77	16	7	3	70	3 - M8	18.0
YSR M60 x 2	80	16	7	3	73	3 - M8	18.0
YSR M64 x 2	85	16	7	3	78	3 - M8	18.0
YSR M65 x 2	85	16	7	3	78	3 - M8	18.0
YSR M68 x 2	92	18	8	3.5	84	3 - M8	18.0
YSR M70 x 2	92	18	8	3.5	84	3 - M8	18.0

YSR Radial Locking

The YSR Series locknuts employ 3-way radial locking. Thickness is comparatively thinner than other products. This series is especially applicable for use when locknut space is limited. Aside from where other products are not usable due to space restrictions.

- Material Composition: SCM440(42CrMo4)
- Hardness: HRC28°~32°
- Thread Accuracy: ISO 4H
- Manufacturing Method: High Precision Grinding
- Run Out
M6~200: 0.002mm
- Thread Accuracy: ISO 4H
- Manufacturing Method: High Precision Turning
- Run Out
M6~200: 0.005mm
M210~300: 0.007mm



YSR

Thread	D	h	g	t	d	n - m	MAX. Nm
YSR M72 x 2	95	18	8	3.5	86	3 - M8	18.0
YSR M75 x 2	98	18	8	3.5	90	3 - M8	18.0
YSR M76 x 2	100	18	8	3.5	92	3 - M8	18.0
YSR M80 x 2	105	18	8	3.5	96	3 - M8	18.0
YSR M85 x 2	110	18	8	3.5	102	3 - M8	18.0
YSR M90 x 2	120	20	10	4	108	3 - M8	18.0
YSR M95 x 2	125	20	10	4	113	3 - M8	18.0
YSR M100 x 2	130	20	10	4	118	3 - M8	18.0
YSR M105 x 2	140	22	12	5	125	3 - M8	18.0
YSR M110 x 2	145	22	12	5	132	3 - M8	18.0
YSR M115 x 2	150	22	12	5	137	3 - M8	18.0
YSR M120 x 2	155	24	12	5	142	3 - M8	18.0
YSR M125 x 2	160	24	12	5	147	3 - M8	18.0
YSR M130 x 2	165	24	12	5	152	3 - M8	18.0
YSR M135 x 2	175	26	14	6	160	3 - M10	35.0
YSR M140 x 2	180	26	14	6	165	3 - M10	35.0
YSR M145 x 2	190	26	14	6	175	3 - M10	35.0
YSR M150 x 2	195	26	14	6	180	3 - M10	35.0
YSR M155 x 3	200	28	16	7	180	3 - M10	35.0
YSR M160 x 3	210	28	16	7	190	3 - M10	35.0
YSR M165 x 3	210	28	16	7	190	3 - M10	35.0
YSR M170 x 3	220	28	16	7	200	3 - M10	35.0
YSR M180 x 3	230	30	18	8	205	3 - M12	60.0
YSR M190 x 3	240	30	18	8	215	3 - M12	60.0
YSR M200 x 3	250	32	18	8	225	3 - M12	60.0
YSR-M210 x 3	260	32	18	8	240	3 - M12	60.0
YSR-M220 x 3	270	32	18	8	250	3 - M12	60.0
YSR-M230 x 3	280	34	20	9	258	3 - M12	60.0
YSR-M240 x 3	290	34	20	9	268	3 - M12	60.0
YSR-M250 x 3	300	34	20	9	278	3 - M12	60.0
YSR-M260 x 4	310	34	22	10	288	3 - M14	100.0
YSR-M270 x 4	320	34	22	10	298	3 - M14	100.0
YSR-M280 x 4	330	34	22	10	308	3 - M14	100.0
YSR-M290 x 4	340	36	24	11	315	3 - M14	100.0
YSR-M300 x 4	350	36	24	11	325	3 - M14	100.0